


FIG. 3







FIG. 5



1. The first part of the document is a list of references. The references are listed in a standard format, with the author's name, the title of the work, and the publisher. The references are as follows:





FIG. 7







FIG. 9

FIG. 9







FIG. 11






FIG. 13





FIG. 14

Bit string	Initial value
0h	0001h
1	5500
2	0002
3	2A00
4	0004
5	5400
6	0008
7	2800
8	0010
9	5000
A	0020
B	2001
C	0040
D	4002
E	0080
F	0005

FIG. 15

Bit. string	Initial value	Rewrite repetition times 0	Rewrite repetition times 1	Rewrite repetition times 2	-----	Rewrite repetition times 15
0h		0001h	0090h	0003h	-----	0031h
1		5500	3C00	2400	-----	2000
2		0002	00A0	0005	-----	0032
3		2A00	1E00	1200	-----	1600
4		0004	00C0	0006	-----	0034
5		5400	3B00	2300	-----	2B00
6		0008	00F0	0007	-----	0038
7		2800	1D00	1100	-----	1300
8		0010	0009	0030	-----	0013
9		5000	3A00	2500	-----	2A00
A		0020	000A	0050	-----	0023
B		2001	1003	3001	-----	2007
C		0040	0000	0060	-----	0043
D		4002	2006	6002	-----	400E
E		0080	000F	0070	-----	0083
F		0005	00A3	0052	-----	00A2








FIG. 18
PRIOR ART








FIG. 21A

FIG. 21A
PRIOR ART




FIG. 21B
PRIOR ART




FIG. 22
PRIOR ART




FIG. 23
PRIOR ART




FIG. 23 is a flowchart illustrating a process for selecting a data value based on a comparison of an 8-bit main data value to 88.

FIG. 24A
PRIOR ART




FIG. 24B
PRIOR ART

